

Thermal transfer printer - THERMOMARK CARD 2.0 - 1085267

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Thermal transfer printer for card materials, including Euro/US power cable and USB cable. Support CD includes user manuals in several languages, links to firmware, drivers, and planning and marking software. User manual printed in German and English. Magazine for UCT-TM... sheets and magazines for US-... cards. One Pcs./Pkt. each UCT-TM 6, US-EMLP (85,6x54), ink ribbon = 50 m

Product Description


THERMOMARK CARD 2.0 prints markers in card format for top quality terminal, wire, cable, equipment and plant marking applications. You can easily create high-quality printed labels and markers.

Your advantages

- ✓ Maintenance-free operation with proven thermal transfer printer technology with 300 dpi print resolution
- ✓ Easy to control with PROJECT COMPLETE software or the MARKING system app
- ✓ Automatic material detection prevents printing errors
- ✓ Fast, high-quality, and durable printing; printing time for one card is less than 8 seconds
- ✓ Easy and intuitive operation via touch color display
- ✓ For all UniCard (UCT) and UniSheet (US) materials
- ✓ USB and Ethernet connections



Key Commercial Data

Packing unit	1 pc
GTIN	 4 055626 834931
GTIN	4055626834931

Technical data

Environmental Product Compliance

REACH SVHC	Lead 7439-92-1
China RoHS	Environmentally Friendly Use Period = 10;
	For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

Thermal transfer printer - THERMOMARK CARD 2.0 - 1085267

Classifications

eCl@ss

eCl@ss 10.0.1	19140104
eCl@ss 11.0	19140104
eCl@ss 4.0	24010402
eCl@ss 4.1	24010402
eCl@ss 5.0	19020207
eCl@ss 5.1	19020200
eCl@ss 6.0	19140100
eCl@ss 7.0	19140104
eCl@ss 8.0	19140104
eCl@ss 9.0	19140104

ETIM

ETIM 2.0	EC000761
ETIM 3.0	EC000761
ETIM 4.0	EC001672
ETIM 5.0	EC001672
ETIM 6.0	EC001672
ETIM 7.0	EC001672

UNSPSC

UNSPSC 6.01	43172501
UNSPSC 7.0901	43212107
UNSPSC 11	43172501
UNSPSC 12.01	43212107
UNSPSC 13.2	43212108
UNSPSC 18.0	43212108
UNSPSC 19.0	43212108
UNSPSC 20.0	43212108
UNSPSC 21.0	43212108

Approvals

Approvals

Approvals










IECEE CB Scheme / UL Listed / IECEE CB Scheme / cUL Listed / CCC / KC / EAC-RoHS / EAC / cULus Listed

Ex Approvals

Approval details

Thermal transfer printer - THERMOMARK CARD 2.0 - 1085267

Approvals

IECEE CB Scheme		http://www.iecee.org/	DK-81169-UL
UL Listed		http://database.ul.com/cgi-bin/XYV/template/LISEXT/1FRAME/index.htm	E140143
IECEE CB Scheme		http://www.iecee.org/	DK-81168-UL
cUL Listed		http://database.ul.com/cgi-bin/XYV/template/LISEXT/1FRAME/index.htm	E140403
CCC			2019010904255703
KC		http://eng.kcc.go.kr/user/ehpMain.do	R-R-YG3-TC2_0
EAC-RoHS			RU D- DE.HB49.B.00023
EAC			RU D- DE.GB09.B.00141
cULus Listed			

Accessories

Accessories

Documentation

Thermal transfer printer - THERMOMARK CARD 2.0 - 1085267

Accessories

Manual - UM IA THERMOMARK CARD - 2910884



Manual

Ink ribbon

Ink ribbon - THERMOMARK-RIBBON 110-TC - 0801371



Ink ribbon, for THERMOMARK CARD for printing product groups UCT..., US..., and UM..., width: 110 mm, color: black

Magazine

Magazine - TMP-UM-MAG1 - 0831200



Magazine for the THERMOMARK CARD printer, for accommodating UM material (UM1-TM and UM5-TM)

Magazine - TMP-UM-MAG3 - 0831202



Magazine for the THERMOMARK CARD printer, for accommodating UM material (UM1-TMF)

Magazine - TMP-UM-MAG4 - 0831203



Magazine for the THERMOMARK CARD printer, for accommodating UM material (UM1U-TM)

Thermal transfer printer - THERMOMARK CARD 2.0 - 1085267

Accessories

Magazine - TMP-UCT-MAG26 - 0803370



Magazine, for the THERMOMARK PRIME and the THERMOMARK CARD, for accommodating UCT-EMP (25x6), UCT-EMP (29x8), UCT-EMP (40x17), UCT-EMP (60x15)

Magazine - TMP-UCT-MAG27 - 0803371



Magazine, for the THERMOMARK PRIME and the THERMOMARK CARD, for accommodating UCT-WMTBA (24x4), UCT-WMTBA (29x6), UCT-WMTBA (40x17)

Magazine - TMP-UCT-MAG28 - 0803372



Magazine, for the THERMOMARK PRIME and the THERMOMARK CARD, for accommodating UCT-WMCO ... (18x4)

Magazine - TMP-UCT-MAG29 - 0803373



Magazine for the THERMOMARK PRIME printer, for accommodating UCT-WMCO ... (23xX)

Magazine - TMP-UCT-MAG31 - 1025505



Magazine, for the THERMOMARK PRIME and the THERMOMARK CARD, for accommodating UCT-EMNP (12.5x6)

Thermal transfer printer - THERMOMARK CARD 2.0 - 1085267

Accessories

Magazine - TMP-UCT-MAG33 - 1082130



Magazine, for the THERMOMARK PRIME and the THERMOMARK CARD, for accommodating UCT-EM (12x8)

Magazine - TMP-US-MAG1 - 0803341



Magazine, For THERMOMARK CARD and THERMOMARK PRIME, for accommodating US cards

Mounting material

Replacement part - TC/TR-PACKAGE WITH FOAM - 0801804

Replacement part

Planning and marking software

Software - CLIP-PROJECT ADVANCED - 5146040



Multilingual software for convenient configuration of Phoenix Contact products on standard DIN rails.

Software - CLIP-PROJECT PROFESSIONAL - 5146053



Multilingual software for terminal strip configuration. A marking module enables the professional marking of markers and labels for identifying terminal blocks, conductors and cables, and devices.

Printing system accessories

Thermal transfer printer - THERMOMARK CARD 2.0 - 1085267

Accessories

Transport case - TL CASE - 0800613



Transport case for THERMOMARK printer, rounded profile case with aluminum frame

Cart for printer - TL CASE TROLLY - 0803337



Trolley for the transport cases for THERMOMARK LINE and THERMOMARK ROLL X1

Accessories - THERMOMARK-CP - 5145371



Cleaning pen, for thermal transfer printers

Phoenix Contact 2020 © - all rights reserved
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstr. 8
32825 Blomberg
Germany
Tel. +49 5235 300
Fax +49 5235 3 41200
<http://www.phoenixcontact.com>