


Product data sheet

Specifications



Side barrier, PrismaSeT 6300, form 2 vertical partitioning, for enclosures D500

LVS06545

Main

Range	PrismaSeT
Range of product	PrismaSeT 6300
Product or component type	Side barrier
Range compatibility	PrismaSeT (PrismaSeT 6300) enclosure Linery (Linery BS) busbar Linery (Linery LGYE) busbar
Product specific application	To partition vertical lateral busbars
Cubicle partitioning form	Form 2
Barrier position	Lateral

Complementary

Enclosure/Cubicle width	700 mm
Enclosure/Cubicle description	Cubicle
Installation description	Cubicle - width 700 mm, depth 500 mm
Product destination	For busbar compartment
Cubicle depth	500 mm
Busbar position	Lateral
Width	500 mm
Installation direction	Vertical
Colour	White (RAL 9003)
Material	Metal
Special colour options	Yes

Environment

IP degree of protection	IP55
-------------------------	------

Packing Units


Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	181 cm
Package 1 Width	14 cm

Package 1 Length	4 cm
Package 1 Weight	5.986 kg
Unit Type of Package 2	CAR
Number of Units in Package 2	1
Package 2 Height	181 cm
Package 2 Width	14 cm
Package 2 Length	4 cm
Package 2 Weight	5.986 kg
Unit Type of Package 3	P2M
Number of Units in Package 3	50
Package 3 Height	50 cm
Package 3 Width	200 cm
Package 3 Length	120 cm
Package 3 Weight	320 kg

Offer Sustainability

Sustainable offer status	Green Premium product
REACH Regulation	REACH Declaration
REACH free of SVHC	Yes
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Toxic heavy metal free	Yes
Mercury free	Yes
China RoHS Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
RoHS exemption information	Yes
Environmental Disclosure	Product Environmental Profile

Dimensions



- All dimensions are approximate and are in mm.
- Also see technical documentation.

Recommended replacement(s)