

pomoc w prowadzeniu do uchwytu 8UD 3KD1, 3KD2, 3KF1, 3KC1, 3KC2





Wersja			
Nazwa markowa produktu		SENTRON	
oznaczenie produktu			
możliwość zastosowania			
do 3KD wielk. 1 i 2, 3KF1, 3KC0 wielk. 1 i 2			
Szczegóły produktu			
opis produktu		wspomaganie przewodnicy	
Konstrukcja mechaniczna			
masa netto		160 g	
Zezwolenia Certyfikaty			
General Product Approval		Marine / Shipping	other



[Confirmation](#)

other	Environment
Miscellaneous	Environmental Confirmations

Więcej informacji
Informacje dotyczące opakowania Informacje dotyczące opakowania Information- and Downloadcenter (Catalogs, Brochures,...) http://www.siemens.com/lowvoltage/catalogs Industry Mall (Online ordering system) https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8UD1900-0FA00 Service&Support (Manuals, Certificates, Characteristics, FAQs,...) https://support.industry.siemens.com/cs/ww/pl/ps/8UD1900-0FA00 Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...) http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8UD1900-0FA00 CAx-Online-Generator http://www.siemens.com/cax Tender specifications http://www.siemens.com/specifications



Ostatnia zmiana:

23.06.2022 

