

CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L491171-14-22119102-2
Report Reference E491171-20191122
Date 15-Feb-2022

Issued to: RITTAL GmbH & Co. KG
Auf dem Stuetzelberg Herborn 35745
Germany

**This is to certify that
representative samples of**

FTTA - Environmental-rated Accessories for Enclosures
See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the
Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 50, 13th Ed., Issue Date: 2015-10-16, UL 508A, 3rd Ed.,
Issue Date: 2018-04-24, Revision Date: 2021-08-05, UL
50E, 2nd Ed., Issue Date: 2015-10-16

Additional Information: See the UL Online Certifications Directory at
<https://iq.ulprospector.com> for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>




CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L491171-14-22119102-2
Report Reference E491171-20191122
Date 15-Feb-2022

UL-CA-L491171-34-22119102	
UL-US-L491171-14-22119102	

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
1199.100	AX Baying Kit
1485.600	AX mini-comfort handles
1581.200, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	KX Metal Gland Plate with metric single ring knockouts
1590.010	AX, KX wall mounting brackets for sheet steel
1594.010	AX, KX wall mounting brackets for stainless steel
2361.010, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Protection Canopy
2362.010, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Protection Canopy
2363.010, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Protection Canopy
2379.600	Fold Out Trays
2379.800, * - Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Fold Out Trays
2433.010	AX, KX wall mounting brackets for stainless steel
2433.510	AX, KX wall mounting brackets for stainless steel



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/about/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L491171-14-22119102-2
Report Reference E491171-20191122
Date 15-Feb-2022

2435.100	AX Comfort Handle
2435.200	AX Comfort Handle
2435.400	AX Comfort Handle
2449.010	AX 180° hinges
2472.010, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Protection Canopy
2473.010, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Protection Canopy
2474.010, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Protection Canopy
2475.010, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Protection Canopy
2476.010, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Protection Canopy
2503.020	AX, KX wall mounting brackets for sheet steel
2508.020	AX, KX wall mounting brackets for sheet steel
2509.010	AX Eyebolts
2537 or 1485, followed by any alphanumeric combination.	AX mini-comfort handles
2537.100	AX mini-comfort handles
2537.200	AX mini-comfort handles
2537.300	AX mini-comfort handles
2561.200	AX Plastic Gland Plate - with knockouts
2561.300	AX Plastic Gland Plate - with membrane
2562.200	AX Plastic Gland Plate - with knockouts
2562.300	AX Plastic Gland Plate - with membrane
2563.200	AX Plastic Gland Plate - with knockouts
2563.300	AX Plastic Gland Plate - with membrane
2564.200	AX Plastic Gland Plate - with knockouts
2564.300	AX Plastic Gland Plate - with membrane
2565.200	AX Plastic Gland Plate - with knockouts
2565.300	AX Plastic Gland Plate - with membrane
2566.200	AX Plastic Gland Plate - with knockouts
2566.300	AX Plastic Gland Plate - with membrane



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/about/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L491171-14-22119102-2
Report Reference E491171-20191122
Date 15-Feb-2022

2567.200	AX Plastic Gland Plate - with knockouts
2567.300	AX Plastic Gland Plate - with membrane
2571.100	AX Metal Gland Plate with metric single ring knockouts
2572.100, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Metal Gland Plate with metric single ring knockouts
2573.100, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Metal Gland Plate with metric single ring knockouts
2574.100, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Metal Gland Plate with metric single ring knockouts
2575.100, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Metal Gland Plate with metric single ring knockouts
2576.100, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Metal Gland Plate with metric single ring knockouts
2577.100, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Metal Gland Plate with metric single ring knockouts
2584.100, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX, KX Pole Clamps
2820.061, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Base Plinth
2820.062, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Base Plinth
2820.081, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Base Plinth
2820.082, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Base Plinth



Bruce Mahrenholz, Director North American Certification Program

UL LLC



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/about/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L491171-14-22119102-2
Report Reference E491171-20191122
Date 15-Feb-2022

nos. may vary from the above however the constructions shall not change except for size.	
2820.101, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Base Plinth
2820.102, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Base Plinth
2820.121, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Base Plinth
2820.122, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Base Plinth
2820.310, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Base Plinth
2820.410, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Base Plinth
5051.395, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Metal Gland Plate
5051.396, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Metal Gland Plate
5051.397, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Metal Gland Plate
5051.398, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Metal Gland Plate
5051.399, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Metal Gland Plate

B. Mahlenz

Bruce Mahrenholz, Director North American Certification Program

UL LLC



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/about/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L491171-14-22119102-2
Report Reference E491171-20191122
Date 15-Feb-2022

5051.400, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Metal Gland Plate
5051.401, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Metal Gland Plate
5051.405, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	KX Metal Gland Plate



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-L491171-34-22119102-2
Report Reference E491171-20191122
Date 15-Feb-2022

Issued to: RITTAL GmbH & Co. KG
Auf dem Stuetzelberg Herborn 35745
Germany

This is to certify that representative samples of FTTA7 - Environmental-rated Accessories for Enclosures
Certified for Canada

See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the
Standard(s) indicated on this Certificate.

Standard(s) for Safety: CSA C22.2 NO. 94.1-15, 2nd Ed., Issue Date: 2015-10-16,
CSA C22.2 NO. 94.2-15, 2nd Ed., Issue Date: 2015-10-16,
CSA C22.2 NO. 14-18, 13th Ed., Issue Date: 2018-03-01

Additional Information: See the UL Online Certifications Directory at
<https://iq.ulprospector.com> for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-L491171-34-22119102-2
Report Reference E491171-20191122
Date 15-Feb-2022

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
1199.100	AX Baying Kit
1485.600	AX mini-comfort handles
1581.200, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	KX Metal Gland Plate with metric single ring knockouts
1590.010	AX, KX wall mounting brackets for sheet steel
1594.010	AX, KX wall mounting brackets for stainless steel
2361.010, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Protection Canopy
2362.010, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Protection Canopy
2363.010, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Protection Canopy
2379.600	Fold Out Trays
2379.800, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Fold Out Trays
2433.010	AX, KX wall mounting brackets for stainless steel
2433.510	AX, KX wall mounting brackets for stainless steel
2435.100	AX Comfort Handle
2435.200	AX Comfort Handle
2435.400	AX Comfort Handle
2449.010	AX 180° hinges
2472.010, Additional models in between the maximum sizes and minimum sizes can be constructed. The model	AX Protection Canopy



Bruce Mahrenholz, Director North American Certification Program

UL LLC



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-L491171-34-22119102-2
Report Reference E491171-20191122
Date 15-Feb-2022

nos. may vary from the above however the constructions shall not change except for size.	
2473.010, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Protection Canopy
2474.010, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Protection Canopy
2475.010, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Protection Canopy
2476.010, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Protection Canopy
2503.020	AX, KX wall mounting brackets for sheet steel
2508.020	AX, KX wall mounting brackets for sheet steel
2509.010	AX Eyebolts
2537 or 1485, followed by any alphanumeric combination.	AX mini-comfort handles
2537.100	AX mini-comfort handles
2537.200	AX mini-comfort handles
2537.300	AX mini-comfort handles
2561.200	AX Plastic Gland Plate - with knockouts
2561.300	AX Plastic Gland Plate - with membrane
2562.200	AX Plastic Gland Plate - with knockouts
2562.300	AX Plastic Gland Plate - with membrane
2563.200	AX Plastic Gland Plate - with knockouts
2563.300	AX Plastic Gland Plate - with membrane
2564.200	AX Plastic Gland Plate - with knockouts
2564.300	AX Plastic Gland Plate - with membrane
2565.200	AX Plastic Gland Plate - with knockouts
2565.300	AX Plastic Gland Plate - with membrane
2566.200	AX Plastic Gland Plate - with knockouts
2566.300	AX Plastic Gland Plate - with membrane
2567.200	AX Plastic Gland Plate - with knockouts
2567.300	AX Plastic Gland Plate - with membrane
2571.100	AX Metal Gland Plate with metric single ring knockouts
2572.100, Additional models in between the maximum sizes and minimum sizes can be constructed. The model	AX Metal Gland Plate with metric single ring knockouts



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-L491171-34-22119102-2
Report Reference E491171-20191122
Date 15-Feb-2022

nos. may vary from the above however the constructions shall not change except for size.	
2573.100, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Metal Gland Plate with metric single ring knockouts
2574.100, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Metal Gland Plate with metric single ring knockouts
2575.100, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Metal Gland Plate with metric single ring knockouts
2576.100, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Metal Gland Plate with metric single ring knockouts
2577.100, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Metal Gland Plate with metric single ring knockouts
2584.100, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX, KX Pole Clamps
2820.061, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Base Plinth
2820.062, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Base Plinth
2820.081, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Base Plinth
2820.082, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Base Plinth
2820.101, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Base Plinth



Bruce Mahrenholz, Director North American Certification Program

UL LLC



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/about/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-L491171-34-22119102-2
Report Reference E491171-20191122
Date 15-Feb-2022

2820.102, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Base Plinth
2820.121, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Base Plinth
2820.122, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Base Plinth
2820.310, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Base Plinth
2820.410, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Base Plinth
5051.395, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Metal Gland Plate
5051.396, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Metal Gland Plate
5051.397, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Metal Gland Plate
5051.398, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Metal Gland Plate
5051.399, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Metal Gland Plate
5051.400, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Metal Gland Plate
5051.401, Additional models in between the maximum sizes and minimum sizes can be constructed. The model	AX Metal Gland Plate



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-L491171-34-22119102-2
Report Reference E491171-20191122
Date 15-Feb-2022

nos. may vary from the above however the constructions shall not change except for size.	
5051.405, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	KX Metal Gland Plate



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

