



system szyn zbiorczych Odstęp między osiami szyn 60mm, Adapter urządzenia, Szerokość 45 mm Grubość szyny: 5,10mm+profil TT dla wyłącznika, Stycznik Przełącznik przeciążeniowy, odgałęźnik silnika S00, S0, długość 182 mm z 1 szyną nośną 35mm, do 25A

Wersja	
Nazwa markowa produktu	SETRON
oznaczenie produktu	Adapter urządzenia
wykonanie produktu	Akcesoria
liczba szyn montażowych	1

Konstrukcja mechaniczna	
wysokość	182 mm
szerokość adaptera	45 mm
głębokość	60 mm
grubość szyny prądowej	
• minimalny	5 mm
odstęp między środkami szyn	60 mm
masa netto	167,5 g

Zezwolenia Certyfikaty	
General Product Approval	Test Certificates



[Confirmation](#)



[Miscellaneous](#)

Marine / Shipping	other	Environment
  	<p><a href="#">Miscellaneous</a></p> <p><a href="#">Confirmation</a></p>	<p><a href="#">Environmental Confirmations</a></p>

### Environment

[Environmental Confirmations](#)

### Więcej informacji

Informacje dotyczące opakowania

[Informacje dotyczące opakowania](#)

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

[Industry Mall \(Online ordering system\)](#)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8US1251-5DM07>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<https://support.industry.siemens.com/cs/ww/pl/ps/8US1251-5DM07>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**

[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=8US1251-5DM07](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8US1251-5DM07)

**CAX-Online-Generator**

<http://www.siemens.com/cax>

**Tender specifications**

<http://www.siemens.com/specifications>

---

Ostatnia zmiana:

28.09.2021 

