

Switch 400V 3-pole 40 A



Figure similar

Model			
product brand name	SENTRON		
product designation	ON and OFF switch		
design of the actuating element	toggle handle		
type of the driving mechanism / motor drive	No		
General technical data			
number of poles	3		
type of device	other		
Protection class			
protection class IP	IP20		
Main circuit			
operational current / rated value	40 A		
Auxiliary circuit			
number of CO contacts / for auxiliary contacts	0		
number of NC contacts / for auxiliary contacts	0		
number of NO contacts / for auxiliary contacts	3		
Suitability			
suitability for integration / distribution board	Yes		
suitability for use			
• main switch	No		
• switch disconnecter	Yes		
• EMERGENCY OFF switch	No		
• safety switch	No		
• maintenance/repair switch	No		
Product details			
product feature / interlock	No		
product extension / optional			
• motor drive	No		
• voltage trigger	No		
Connections			
type of electrical connection / for main current circuit	screw-type terminals		
Mechanical Design			
fastening method	standard rail		
<b>General Product Approval</b>	<b>Declaration of Conformity</b>	<b>Test Certificates</b>	<b>other</b>



[Miscellaneous](#)

[Miscellaneous](#)

[Environmental Con-  
firmations](#)

#### Further information

**Information- and Downloadcenter (Catalogs, Brochures,...)**

<http://www.siemens.com/lowvoltage/catalogs>

**Industry Mall (Online ordering system)**

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5TE2413-0>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<https://support.industry.siemens.com/cs/ww/en/ps/5TE2413-0>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**

[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=5TE2413-0](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TE2413-0)

**CAX-Online-Generator**

<http://www.siemens.com/cax>

**Tender specifications**

<http://www.siemens.com/specifications>



