

Busbar system, accessories Busbar center-to-center spacing 60 mm
connecting terminal plate Bar thickness: 5.10 mm+TT profile Width:
81 mm, 35-120 mm² with cover, 3-pole



Wersja	
Nazwa markowa produktu	SETRON
oznaczenie produktu	Moduł przyłączeniowy
wykonanie produktu	Akcesoria
prąd / przy AC / wartość znamionowa	400 A
napięcie robocze / przy AC / wartość znamionowa	690 V
Konstrukcja mechaniczna	
szerokość	81 mm
odstęp między środkami szyn	60 mm
masa netto	496 g
Certyfikaty	

General Product Approval				Declaration of Conformity	Test Certificates
					Special Test Certificate
CSA	UR	UL		EG-Konf.	

Test Certificates	Shipping Approval		other
Miscellaneous			Miscellaneous
	PRS	RINA	

Więcej informacji

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8US1921-1AA00>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pl/ps/8US1921-1AA00>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8US1921-1AA00

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>

