

Attestation of Conformity

No. N8A 18 05 95688 230



Product Service

Holder of Certificate: LEDVANCE GmbH

Steinerne Furt 62
86167 Augsburg
GERMANY

Product: Recessed luminaires
(LED luminaries)

This Attestation of Conformity is issued on a voluntary basis according to the Low Voltage Directive 2014/35/EU relating to electrical equipment designed for use within certain voltage limits. It confirms that the listed equipment complies with the principal protection requirements of the directive and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for testing and certification. See also notes overleaf.

Test report no.: 64140160510002



Date, 2018-06-01

(Michael Xu)



After preparation of the necessary technical documentation as well as the EU conformity declaration the required CE marking can be affixed on the product. That declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.

Page 1 of 3

Attestation of Conformity
No. N8A 18 05 95688 230



Product Service

Model(s):

Downlight LED LED 35W-3000K-3150lm,
Downlight LED LED 35W-4000K-3325lm,
Downlight LED LED 35W-6500K-3500lm,
SPOT-FP LED FIX DIM WT LED 8W-3000K-620lm,
SPOT-FP LED FIX DIM WT LED 8W-4000K-670lm,
SPOT-FP LED FIX DIM SI LED 8W-3000K-620lm,
SPOT-FP LED FIX DIM SI LED 8W-4000K-670lm,
SPOT LED FIX DIM WT LED 8W-3000K-620lm,
SPOT LED FIX DIM WT LED 8W-4000K-670lm,
SPOT LED FIX DIM SI LED 8W-3000K-620lm,
SPOT LED FIX DIM SI LED 8W-4000K-670lm

Parameters:

Rated voltage:	220-240V~
Rated frequency:	50/60Hz
Protection class:	Class II
Rated Power:	See page 3
Protection Class:	II
Degree of Protection:	See page 3
Blue light risk group:	RG0

**Tested
according to:**

EN 60598-2-2:2012
EN 60598-1:2015
EN 62493:2015



Product Service

Attestation of Conformity

No. N8A 18 05 95688 230

Model	Rated power (W)	Drivers	LED	CCT	Colour	IP
Downlight LED LED 35W-3000K-3150lm	35	XZ-CY40B-420080-A	SMD2835	3000K	White	20
Downlight LED LED 35W-4000K-3325lm	35	XZ-CY40B-420080-A	SMD2835	4000K	White	20
Downlight LED LED 35W-6500K-3500lm	35	XZ-CY40B-420080-A	SMD2835	6500K	White	20
SPOT-FP LED FIX DIM WT LED 8W-3000K-620lm	8	AD-LPA-7HK-40V170	COB CXA1304	3000K	White	IP20 for recessed parts, IP44 for the exposed parts
SPOT-FP LED FIX DIM WT LED 8W-4000K-670lm	8	AD-LPA-7HK-40V170	COB CXA1304	4000K	White	
SPOT-FP LED FIX DIM SI LED 8W-3000K-620lm	8	AD-LPA-7HK-40V170	COB CXA1304	3000K	Silver	
SPOT-FP LED FIX DIM SI LED 8W-4000K-670lm	8	AD-LPA-7HK-40V170	COB CXA1304	4000K	Silver	
SPOT LED FIX DIM WT LED 8W-3000K-620lm	8	AD-LPA-7HK-40V170	COB CXA1304	3000K	White	IP20 for recessed parts, IP65 for the exposed parts
SPOT LED FIX DIM WT LED 8W-4000K-670lm	8	AD-LPA-7HK-40V170	COB CXA1304	4000K	White	
SPOT LED FIX DIM SI LED 8W-3000K-620lm	8	AD-LPA-7HK-40V170	COB CXA1304	3000K	Silver	
SPOT LED FIX DIM SI LED 8W-4000K-670lm	8	AD-LPA-7HK-40V170	COB CXA1304	4000K	Silver	

Test report no.: 64140160510002
Date, 2018-06-01

Page 3 of 3

CERTIFICATE

No. Z1 18 05 95688 229



Product Service

Holder of Certificate: LEDVANCE GmbH

Steinerne Furt 62
86167 Augsburg
GERMANY

Certification Mark:



Product:

**Recessed luminaires
(LED luminaries)**

The product was tested on a voluntary basis and complies with the essential requirements. The certification mark shown above can be affixed on the product. It is not permitted to alter the certification mark in any way. In addition the certification holder must not transfer the certificate to third parties. See also notes overleaf.

Test report no.:

64140160510002

Valid until:

2023-05-30



Date, 2018-06-01

(Michael Xu)

Page 1 of 3

CERTIFICATE**No. Z1 18 05 95688 229**

Product Service

Model(s):

Downlight LED LED 35W-3000K-3150lm,
 Downlight LED LED 35W-4000K-3325lm,
 Downlight LED LED 35W-6500K-3500lm,
 SPOT-FP LED FIX DIM WT LED 8W-3000K-620lm,
 SPOT-FP LED FIX DIM WT LED 8W-4000K-670lm,
 SPOT-FP LED FIX DIM SI LED 8W-3000K-620lm,
 SPOT-FP LED FIX DIM SI LED 8W-4000K-670lm,
 SPOT LED FIX DIM WT LED 8W-3000K-620lm,
 SPOT LED FIX DIM WT LED 8W-4000K-670lm,
 SPOT LED FIX DIM SI LED 8W-3000K-620lm,
 SPOT LED FIX DIM SI LED 8W-4000K-670lm

Parameters:

Rated voltage:	220-240V~
Rated frequency:	50/60Hz
Protection class:	Class II
Rated Power:	See page 3
Protection Class:	II
Degree of Protection:	See page 3
Blue light risk group:	RG0

**Tested
according to:**

EN 60598-2-2:2012
 EN 60598-1:2015
 EN 62493:2015

**Production
Facility(ies):**

88622



Product Service

CERTIFICATE

No. Z1 18 05 95688 229

Model	Rated power (W)	Drivers	LED	CCT	Colour	IP
Downlight LED LED 35W-3000K-3150lm	35	XZ-CY40B-420080-A	SMD2835	3000K	White	20
Downlight LED LED 35W-4000K-3325lm	35	XZ-CY40B-420080-A	SMD2835	4000K	White	20
Downlight LED LED 35W-6500K-3500lm	35	XZ-CY40B-420080-A	SMD2835	6500K	White	20
SPOT-FP LED FIX DIM WT LED 8W-3000K-620lm	8	AD-LPA-7HK-40V170	COB CXA1304	3000K	White	IP20 for recessed parts, IP44 for the exposed parts
SPOT-FP LED FIX DIM WT LED 8W-4000K-670lm	8	AD-LPA-7HK-40V170	COB CXA1304	4000K	White	
SPOT-FP LED FIX DIM SI LED 8W-3000K-620lm	8	AD-LPA-7HK-40V170	COB CXA1304	3000K	Silver	
SPOT-FP LED FIX DIM SI LED 8W-4000K-670lm	8	AD-LPA-7HK-40V170	COB CXA1304	4000K	Silver	
SPOT LED FIX DIM WT LED 8W-3000K-620lm	8	AD-LPA-7HK-40V170	COB CXA1304	3000K	White	IP20 for recessed parts, IP65 for the exposed parts
SPOT LED FIX DIM WT LED 8W-4000K-670lm	8	AD-LPA-7HK-40V170	COB CXA1304	4000K	White	
SPOT LED FIX DIM SI LED 8W-3000K-620lm	8	AD-LPA-7HK-40V170	COB CXA1304	3000K	Silver	
SPOT LED FIX DIM SI LED 8W-4000K-670lm	8	AD-LPA-7HK-40V170	COB CXA1304	4000K	Silver	

Test report no.: 64140160510002

Date, 2018-06-01

Page 3 of 3