

## Stripping tool - WIREFOX-E 16 - 1212707

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Stripping tool, for cables and conductors from 4 - 16 mm<sup>2</sup>, self-adjusting, stripping length of up to 18 mm, cutting capacity of up to 10 mm<sup>2</sup> stranded/1.5 mm<sup>2</sup> solid, replaceable stripping blade


### Product Description

Insertable stripping blades: 1212151 WIREFOX 4/SB, 1212152 WIREFOX 10/SB, and 1212314 WIREFOX 6SC/SB, direct replacement: 1212153 WIREFOX 16/SB

### Your advantages

- ✓ Flexible, adjustable limit stop for the stripping length
- ✓ Stripping tool with ergonomically shaped pliers.
- ✓ The stripping pliers feature an automatic adjustment mechanism for a wide range of different types of insulation and conductor diameters.
- ✓ Practical integrated wire cutter
- ✓ Flexible, adjustable limit stop for the stripping length
- ✓ Practical integrated wire cutter
- ✓ WIREFOX ... stripping pliers feature an automatic adjustment mechanism for a wide range of different types of insulation and conductor diameters

### Key Commercial Data

|              |   |
|--------------|---|
| Packing unit | 1 pc  |
| GTIN         | <br>4 046356 787826 |
| GTIN         | 4046356787826   |

### Technical data

#### Dimensions

|                  |        |
|------------------|--------|
| Length (b)       | 191 mm |
| Width (a)        | 20 mm  |
| Height (c)       | 90 mm  |
| Stripping length | 18 mm  |

#### General

|                    |                    |
|--------------------|--------------------|
| Color              | black/green        |
| Weight             | 136 g              |
| Min. cross section | 4 mm <sup>2</sup>  |
| Max. cross section | 16 mm <sup>2</sup> |

# Stripping tool - WIREFOX-E 16 - 1212707

## Technical data

### General

|         |    |
|---------|----|
| AWG min | 12 |
| AWG max | 5  |

### Environmental Product Compliance

|                           |   |
|---------------------------|---|
| California Proposition 65 | Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration |
|---------------------------|---|

## Classifications

### eCl@ss

|               |          |
|---------------|----------|
| eCl@ss 10.0.1 | 21043706 |
| eCl@ss 11.0   | 21043706 |
| eCl@ss 4.0    | 21040300 |
| eCl@ss 4.1    | 21040300 |
| eCl@ss 5.0    | 21040300 |
| eCl@ss 5.1    | 21040300 |
| eCl@ss 6.0    | 21043700 |
| eCl@ss 7.0    | 21043706 |
| eCl@ss 8.0    | 21043706 |
| eCl@ss 9.0    | 21043706 |

### ETIM

|          |          |
|----------|----------|
| ETIM 3.0 | EC001186 |
| ETIM 4.0 | EC001282 |
| ETIM 5.0 | EC001282 |
| ETIM 6.0 | EC002109 |
| ETIM 7.0 | EC002109 |

### UNSPSC

|               |          |
|---------------|----------|
| UNSPSC 6.01   | 30211811 |
| UNSPSC 7.0901 | 39121410 |
| UNSPSC 11     | 39121410 |
| UNSPSC 12.01  | 39121410 |
| UNSPSC 13.2   | 27111518 |
| UNSPSC 18.0   | 27111510 |
| UNSPSC 19.0   | 27111510 |
| UNSPSC 20.0   | 27111510 |
| UNSPSC 21.0   | 27111510 |

## Approvals

### Approvals

# Stripping tool - WIREFOX-E 16 - 1212707

## Approvals

Approvals

EAC

---

Ex Approvals

---

## Approval details

|     |  |                          |
|-----|--|--------------------------|
| EAC |  | RU x-<br>DE.xx08.B.02974 |
|-----|--|--------------------------|

## Accessories

Accessories

Knife

Spare knife - WIREFOX 16/SB - 1212153



Replacement blade for WIREFOX 16, for cables and conductors of 4 - 16 mm<sup>2</sup>

---

Spare knife - WIREFOX 4/SB - 1212151



Replacement blade for WIREFOX 4, for cables and conductors (especially for rubber and silicone insulations) of 0.1 - 4 mm<sup>2</sup>

---

Spare knife - WIREFOX 10/SB - 1212152



Replacement blade for WIREFOX 10, for cables and conductors of 0.02 - 10 mm<sup>2</sup>

---

## Stripping tool - WIREFOX-E 16 - 1212707

### Accessories

Spare knife - WIREFOX 6SC/SB - 1212314



Replacement blade for WIREFOX 6SC, for cables and conductors (especially for cables protected against short circuits and ground leakages) 1.5 - 6 mm<sup>2</sup>

---

### Stripping tool

Replacement limit stop - WIREFOX 10/WS - 1200285

Replacement limit stop

---

Replacement retaining jaw - WIREFOX 16/CJ - 1200287



Replacement clamping jaws for WIREFOX 16

---

Phoenix Contact 2020 © - all rights reserved  
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG

Flachsmarktstr. 8

32825 Blomberg

Germany

Tel. +49 5235 300

Fax +49 5235 3 41200

<http://www.phoenixcontact.com>