

## Filler plugs - KDT-ST 13 - 3062029


Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Filler plugs, length: 20 mm, diameter: 13 mm, color: black



### Key Commercial Data

|              |   |
|--------------|---|
| Packing unit | 25 pc   |
| GTIN         | <br>4 046356 301480 |
| GTIN         | 4046356301480   |

### Technical data

#### Dimensions

|        |       |
|--------|-------|
| Length | 20 mm |
|--------|-------|

#### Ambient conditions

|                                 |  |
|---------------------------------|--|
| Degree of protection            | IP54 (Observe the assembly instructions) |
| Ambient temperature (operation) | -20 °C ... 80 °C                         |

#### General

|                           |  |
|---------------------------|--|
| Material                  | PA   |
| Color                     | black  |
| Note                      | The filler plugs are used to seal unused cable sleeves.  |
| Installation instructions | IP54: for vertical sealing frame mounting/for horizontal sealing frame mounting (downward cable outlet direction). |


#### Environmental Product Compliance

|            |   |
|------------|---|
| China RoHS | Environmentally friendly use period: unlimited = EFUP-e |
|            | No hazardous substances above threshold values          |

### Drawings

# Filler plugs - KDT-ST 13 - 3062029

Dimensional drawing



Dimensional drawing

## Classifications

### eCl@ss

|               |          |
|---------------|----------|
| eCl@ss 10.0.1 | 27144433 |
| eCl@ss 11.0   | 27144433 |
| eCl@ss 4.0    | 27141200 |
| eCl@ss 4.1    | 27141200 |
| eCl@ss 5.0    | 27149100 |
| eCl@ss 5.1    | 27149100 |
| eCl@ss 6.0    | 27149100 |
| eCl@ss 7.0    | 27149110 |
| eCl@ss 8.0    | 27149110 |
| eCl@ss 9.0    | 27144433 |

### ETIM

|          |          |
|----------|----------|
| ETIM 2.0 | EC000451 |
| ETIM 3.0 | EC002316 |
| ETIM 4.0 | EC002316 |
| ETIM 5.0 | EC000723 |
| ETIM 6.0 | EC000451 |
| ETIM 7.0 | EC000451 |

### UNSPSC

|               |          |
|---------------|----------|
| UNSPSC 6.01   | 30212109 |
| UNSPSC 7.0901 | 39121708 |
| UNSPSC 11     | 39121708 |
| UNSPSC 12.01  | 39121708 |
| UNSPSC 13.2   | 39121708 |

## Filler plugs - KDT-ST 13 - 3062029

### Classifications

#### UNSPSC

|             |          |
|-------------|----------|
| UNSPSC 18.0 | 39121311 |
| UNSPSC 19.0 | 39121311 |
| UNSPSC 20.0 | 39121311 |
| UNSPSC 21.0 | 39121311 |

---

Phoenix Contact 2020 © - all rights reserved  
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG  
Flachsmarktstr. 8  
32825 Blomberg  
Germany  
Tel. +49 5235 300  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.com>